

miniVNA by IW3HEV & IW3IJZ - 2 Port - RS232/USB - (V 2.2.9) - Updated by G3RXQ

File About

RUN R.L./SWR Antenna Cable Loss Cable Length Transmission HF Bands PHASE / X-R-Z

0dB/10 180° / 500 ohm

10dB 135° / 375 ohm

LOSS Scale X2 90° / 250 ohm

Offset 45° / 125 ohm

30dB/1.0 M1 M2 0° / 0 ohm

MARKERS DISPLAY

Marker 1 Full

Marker 2 Xc / Xl

50 ohm

MIN. SWR Bw and Q

Min. SWR Enable

FREQUENCY SWEEP LIMITS CONTROLS TRACE ENABLE AND COLOURS

10.2 MHz (Stop) Hold

10.1 MHz (Start) Bands

Full Save 500

Zoom Recall Zero span Points

594

mS


SWR PHASE / °

|Z| / ohm Rs / ohm

Loss / dB |Xs| / ohm

All None

FREQ.	SWR	Z	R.L.	PHASE	Rs	Xs
10.112.000	5,77	71,99		68,29	25,76	67,22
10.172.400	5,89	66,39		73,04	22,74	62,37



miniVNA by IW3HEV & IW3IJZ - 2 Port - RS232/USB - (V 2.2.9) - Updated by G3RXQ

File About

RUN R.L./SWR 0dB/10 Antenna Cable Loss Cable Length Transmission HF Bands PHASE / X-R-Z 180° / 500 ohm

10dB

LOSS

Scale X2

Offset

30dB/1.0

MARKERS

Marker 1 Marker 2

VALUES

FREQ.	SWR	Z	R.L.	PHASE	Rs	Xs
18.024.000	1,38	61,38		49,81	59,52	15,01
18.144.800	1,38	61,08		50,34	59,25	14,84

0° / 0 ohm

DISPLAY

Full

Xc / Xl

50 ohm

BW and Q

Enable

MIN. SWR

Min. SWR

FREQUENCY SWEEP LIMITS

18.2 MHz (Stop)

18.0 MHz (Start)

Full Save

Zoom Recall

CONTROLS

Hold

Bands

Zero span

500 Points

594 mS

TRACE ENABLE AND COLOURS

SWR PHASE / °

|Z| / ohm Rs / ohm

Loss / dB |Xs| / ohm

All None

miniVNA by IW3HEV & IW3IJZ - 2 Port - RS232/USB - (V 2.2.9) - Updated by G3RXQ

File About

RUN R.L./SWR Antenna Cable Loss Cable Length Transmission HF Bands PHASE / X-R-Z

0dB/10 180° / 500 ohm

10dB 135° / 375 ohm

LOSS Scale X2 90° / 250 ohm

Offset 45° / 125 ohm

30dB/1.0 0° / 0 ohm

MARKERS DISPLAY

Marker 1 Full

Marker 2 Xc / Xl

50 ohm

MIN. SWR Bw and Q

Min. SWR Enable

FREQUENCY SWEEP LIMITS CONTROLS TRACE ENABLE AND COLOURS

21.2 MHz (Stop) Hold

21 MHz (Start) Bands

Full Save 500 Points

Zoom Recall Zero span 594 mS

SWR PHASE / °

|Z| / ohm Rs / ohm

Loss / dB |Xs| / ohm

All None

FREQ.	SWR	Z	R.L.	PHASE	Rs	Xs
21.024.000	5,19	11,27		166,67	9,74	5,67
21.144.800	5,02	12,61		162,45	10,17	7,45

